



भारतीय मानक ब्यूरो

उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय के अंतर्गत, भारत सरकार

BUREAU OF INDIAN STANDARDS

Ministry of Consumer Affairs, Food & Public Distribution,
Government of India

गुवाहाटी शाखा कार्यालय : द्वितीय तल, वेस्ट एंड बिल्डिंग ब्लॉक,
हाउसफेड कामप्लेक्स, बेलतला-बसिष्ठा रोड,
दिसपुर, गुवाहाटी-781 006, असम
Guwahati Branch Office : 2nd floor, West End Building Block,
HOUSEFED Complex,
Beltola-Basistha Road, Dispur,
Guwahati- 781006, Assam

दूरभाष { 2224670
Phones { 0361-2226508
2221622

फैक्स } 0361-2225937
Fax }

E-mail : ghbo@bis.gov.in
website : www.bis.gov.in

Our Ref:GHBO/CM/L- 5400060389

Dated: 06/01/2020

Subject: Grant of BIS Product Certification Licence No.
CM/L- 5400060389 as per IS 2185: Part 3: 1984

M/s Barak Valley Infrastructure
Vill- Rampur
PO- Porgona-Borkhola
Lumding Road
Silchar
Dist : Cachar
Assam- 788111

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

| | |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Product: Concrete Masonry Units-Autoclave Cellular (Aerated) Concrete Blocks | |
| Grade / Type /Class / Variety | Grade 1, Density in oven dry Condition 551 to 650 Kg/m³ of following Nominal Sizes |
| | Length 600mm Height 200mm |
| | Width 75mm, 100mm, 125mm, 150mm, 175mm, 200mm, 225mm, 250mm |

As per IS 2185: Part 3: 1984

The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this Licence is **CM/L- 5400060389** which has been made operative from **03/01/2020** and is valid up to **02/01/2021** The licence number shall invariably be referred to in your future correspondence.

According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from 03/01/2020 for the period of validity of the licence in advance.

3. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No. R/0054PC2019000905 dated 03/01/2020 for the licence fee and the minimum marking fee for the first operative period is already issued.
4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.
5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
6. **The Scheme of Inspection and Testing (STI) submitted by you and agreed by BIS or the Scheme of Inspection and Testing as specified by BIS** will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.
7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.
8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.
9. This licence is granted for your manufacturing premises situated at Vill- Rampur PO- Porgona-Borkhola Lumding Road Silchar Dist : Cachar Assam- 788111. Privileges under the licence shall not be exercised by any other firm/company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on (13/12/2019) by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation (Applicable for GOL under option 2).

Thanking you,



(Amit Roy)

Director/ Scientist- F & Head